



BELMONT
TRAILERS™



CARGO TRAILERS





BELMONT CARGO

When it comes to hauling valuable cargo, tools, or equipment, compromise isn't an option. Whether you're a weekend warrior or a full-time tradesperson, our Cargo lineup is built to take it.

Belmont Cargo Trailers are engineered to deliver the ideal combination of security, durability, and versatility, keeping your valuable equipment, tools, or goods protected from the elements and ready for the road ahead. With a 5-Year Structural Warranty and a 1-Year PolyCor Skin Warranty, you can tow with confidence knowing your trailer is built to last.

Our trailers come standard with a Heavy Duty Steel Tube Base Frame, Engineered Wood Flooring, and a Screwless Skin Exterior to ensure that they have the durability to go the distance. We also offer a full array of custom options for colors, doors, lighting, and much more. Additionally, you can choose from a variety of Electrical Packages to power your trailer, from basic lighting to a fully wired workspace.

CARGO TRAILERS ARE AVAILABLE IN THESE SERIES:

SIDEKICK SERIES

TM500
TM600

BUILDER SERIES

TM700
TM7500
TM8500

SIDEKICK SERIES FEATURES

ROOF

One piece aluminum roof with multiple layers of sealant to minimize leaks

EXTERIOR

.080 PolyCor Skin applied with structural adhesive which gives it a smooth appearance

STEEL TUBING

Lightweight but strong steel tube construction with durable painted finish

JACK

2K Top Wind Set Back Jack

WHEELS

Black Mod Wheels with Radial Tires

FENDER

Diamond Plate Aluminum Fenders

COUPLER

2" Ball Coupler



TM508 shown with standard and optional features



Designed for homeowners, part-time contractors, and small business owners, the Sidekick Series offers a tough, dependable solution for lighter-duty jobs or moderate commercial use. The TM500 and TM600 are perfect for those who need a reliable, professional-grade trailer for everyday hauling.

LIGHT

LED Ceiling Light conveniently lights up the interior at night

HEIGHT

5' Interior Height Standard

WALLS

3/8" Plywood Walls with Lauan Trim For Wall Sheeting Splicing



DOOR

Rear door available in several options depending on your application- single door, barn doors, or ramp door

TM500 shown with standard and optional features

SIDEKICK SERIES



TM508 Model Shown



TM500

Model	GVWR	Curb Weight	Capacity	Interior Dimensions	Overall Size	Floor Height
TM508	2990	1210	1780	94"L x 57 ^{1/4} "W x 60"H	146"L x 80"W	17"
TM510	2990	1350	1640	118"L x 57 ^{1/4} "W x 60"H	170"L x 80"W	17"

TM500 STANDARD FEATURES

- 3500 lbs. Single Dexter Idler Axle, Leaf Spring, 4" Drop, EZ Lube
- Black Steel Mod Wheels and Radial Tires
- 3" X 2" Heavy Duty Steel Tubing Base Frame
- 24" On Center Steel Tube Side Wall and Roof Framing
- 24" On Center Floor Crossmembers
- Heavy Duty Diamond Aluminum Plate Fenders
- 2000 lbs. Top Wind, Drop Leg Jack
- 2" Fixed Ball Coupler
- .080" PolyCor Exterior Skin
- One Piece Aluminum Roof
- Screwless Skin Installation
- Double Rear Barn Doors
- 16" Aluminum Stone Guard on Front
- Side Vent, Both Sides
- 5' Interior Height with 3/8" OSB Wall Panels
- Lauan Trim For Wall Sheeting Splicing
- Bowed Roof Crossmembers
- Zinc Plated Hardware
- LED D.O.T. Compliant Lighting with Reverse Lights
- LED 12v Interior Dome Light with Built-In Switch No Switch On The Wall
- License Plate Bracket
- Flat 4 Pin Plug
- Durable 2-Component Urethane Primer and Top Coat (Black Frame is Standard)
- 5-Year Structural Warranty / 1-Year PolyCor Skin Warranty

1. HD Diamond Aluminum Plate Fenders

2. 2" Fixed Ball Coupler

3. Rear Door Holdback

4. Side Air Vent

5. 16" Aluminum Stone Guard on Front

SIDEKICK SERIES



TM612 Model Shown
with standard and available options



TM600

Model	GVWR	Curb Weight	Capacity	Interior Dimensions	Overall Size	Floor Height
TM610	2990	1810	1180	118"L x 69"W x 60"H	166"L x 92"W	17"
TM612	2990	1970	1020	142"L x 69"W x 60"H	196"L x 92"W	17"

TM600 STANDARD FEATURES

- Dexter EZ Lube Drop Axles with Self Adjusting Brakes
- Black Machined Aluminum Wheels
- 3" X 2" Heavy Duty Steel Tubing Base Frame
- 24" On Center Steel Tube Side Wall and Roof Framing
- 24" On Center Floor Crossmembers
- Heavy Duty Formed Diamond Plate Aluminum Fenders
- 2000 lbs. Top Wind, Drop Leg Jack
- 2" Fixed Ball Coupler
- .080" PolyCor Exterior Skin (Available in Gloss Black, Polar White, Metallic Silver, Charcoal Gray)
- One Piece Aluminum Roof
- Screwless Skin Installation
- Double Rear Barn Doors
- 30" Side Door
- 24" Aluminum Stone Guard on Front
- Side Vent, Both Sides
- 6' Interior Height with 3/8" OSB Wall Panels
- Lauan Trim For Wall Sheeting Splicing
- Zinc Plated Hardware
- LED D.O.T. Compliant Lighting
- 12V LED Interior Dome Light w/Built-In Switch No Switch On The Wall
- License Plate Bracket
- Flat 4 Pin Plug
- Durable 2-Component Urethane Primer and Top Coat (Black Frame is Standard)
- 5-Year Structural Warranty / 1-Year PolyCor Skin Warranty

1. HD Diamond Aluminum Plate Fenders

2. 2" Fixed Ball Coupler

3. Rear Door Holdback

4. Side Air Vent

5. 24" Aluminum Stone Guard on Front

BUILDER SERIES FEATURES

EXTERIOR

.080" PolyCor Exterior is more rigid and has more corrosion resistance than typical aluminum exteriors (see chart for available colors)

LADDER RACK

Optional Heavy Duty Aluminum Roof Rack rated for everyday use

SIDE DOOR

36" Side Door With Heavy Duty Cam Latch



JACK

7k Set Back Jack prevents tailgates from dropping on it

AXLES

Industry Leading Dexter Axles give confidence of good performance

WHEELS

Black Machined Aluminum Wheels look great and offer good corrosion resistance

FENDER

Rugged 1/8" Diamond Plate Fenders with Integrated LED Marker Lights

COUPLER

2⁵/₁₆" Adjustable Coupler from Demco makes hooking and unhooking the trailer quick and easy

TM7518 shown in gloss black with standard and optional features



For professional tradespeople who rely on their trailer every day, the Builder Series is built for maximum strength, capacity, and customization. With increased GVWR and reinforced construction, the TM700 and TM7500 are engineered for daily, demanding job site use and ready to serve as your mobile workshop.

INTERIOR CEILING

White Corrugated Plastic Headliner and 48" LED Strip lights make a bright and attractive interior

WALLS

Durable 1/2" Engineered Plywood Sides with aluminum H-channel at the splices keep the walls solid for many years

ROOF

One Piece Aluminum Roof minimizes leaks and withstands harsh weather conditions

FRAME

HD Steel Tube frame painted with two coats of long lasting Polyurethane paint

STANDARD HEAVY DUTY RAMP

Extra Strong 2" Tube Frame Ramp Door holds up to all-day use with hinges to match. *(optional knife edge shown)*



TM7518 shown in gloss black with standard and optional features

BUILDER SERIES



TM7500 Model Shown



1.



2.



3.



4.



5.

TM700/TM7500



1. **Black Machined Aluminum Wheels**
2. **2 5/16" Demco Adjustable Coupler**
3. **36" Side Door with RV Door Lock**
4. **HD Rear Roller**
5. **16" OC Bowed Roof Crossmembers**

Model	GVWR	Curb Weight	Capacity	Interior Dimensions	Overall Size	Floor Height
TM712S	3500	2720	780	142"L x 84"W x 78"H	208"L x 102"W	21"
TM712	7000	2720	4280	142"L x 84"W x 78"H	208"L x 102"W	21"
TM714	7000	2960	4040	166"L x 84"W x 78"H	232"L x 102"W	21"
TM716	7000	3190	3810	190"L x 84"W x 78"H	256"L x 102"W	21"
TM718	7000	3410	3590	214"L x 84"W x 78"H	280"L x 102"W	21"
TM720	7000	3640	3360	238"L x 84"W x 78"H	304"L x 102"W	21"
TM7516	7000	3250	3750	189"L x 89"W x 78"H	256"L x 102"W	21"
TM7518	7000	3490	3510	213"L x 89"W x 78"H	276"L x 102"W	21"
TM7520	7000	3730	3270	237"L x 89"W x 78"H	296"L x 102"W	21"
TM7524	7000	4190	2810	261"L x 89"W x 78"H	344"L x 102"W	21"

TM700/TM7500 STANDARD FEATURES

- Tandem Dexter Axles, 3500# Electric Brakes, Leaf Spring, 4" Drop, EZ Lube
- Kenda KR35 ST205/75R15 Tires
- Machined Black Aluminum Wheels
- 6" x 2" Heavy Duty Steel Tubing Base Frame
- V-Nose Front
- 16" On Center Steel Tube Side Wall and Roof Framing
- 16" On Center Floor Crossmembers
- Rugged 6' Long Spring Assist Ramp Gate w/Ext. Flap
- ¾" Engineered Wood Flooring
- Heavy Duty Diamond Plate Aluminum Fender Flare
- 7000lb. Top Wind, Drop Leg, Set Back Jack
- 2 5/16" Adjustable Demco Coupler
- 24" Safety Chains
- .080" PolyCor Exterior Skin (Available in Gloss Black, Polar White, Metallic Silver, Charcoal Gray)
- One Piece Aluminum Roof
- Screwless Skin Installation
- 24" Aluminum Stone Guard on Front
- Right And Left Wall Vents
- 36" Side Door w/Heavy Duty Cam Latch
- 6' 6" Interior Height with 1/2" OSB Wall Panels
- Aluminum H-Track For Wall Sheeting Splicing
- PolyCor HL Poly Corrugated Sheet for Under Alum. Roof
- Bowed Roof Crossmembers
- Zinc Plated Hardware
- LED D.O.T. Compliant Lighting with Reverse Lights
- LED 12v Interior Light with (2) Wall Switches
- License Plate Bracket
- 7 Blade RV Style Plug
- Durable 2-Component Urethane Primer and Top Coat on Frame (Black Frame is Standard)
- 5-Year Structural Warranty / 1-Year PolyCor Skin Warranty

BUILDER SERIES



TM8524 Shown with Two-Tone Exterior Package



1.



2.



3.




4.



5.

TM8500



Model	GVWR	Curb Weight	Capacity	Interior Dimensions	Overall Size	Floor Height
TM8516	7000	3470	3530	189"L x 98½"W x 78"H	256"L x 102"W	21"
TM8518	7000	3710	3290	213"L x 98½"W x 78"H	276"L x 102"W	21"
TM8520	7000	3950	3050	237"L x 98½"W x 78"H	296"L x 102"W	21"
TM8524	7000	4430	2570	261"L x 98½"W x 78"H	344"L x 102"W	21"

TM8500 STANDARD FEATURES

- Tandem Dexter Axles, 3500# Electric Brakes, Leaf Spring, 4" Drop, EZ Lube
- Kenda KR35 ST205/75R15 Tires
- Machined Black Aluminum Wheels
- 6" x 2" Heavy Duty Steel Tubing Base Frame
- V-Nose Front
- 16" On Center Steel Tube Side Wall and Roof Framing
- 16" On Center Floor Crossmembers
- Rugged 6' Long Spring Assist Ramp Gate w/Ext. Flap
- ¾" Engineered Wood Flooring
- Heavy Duty Diamond Plate Aluminum Fender Flare
- 7000lb. Top Wind, Drop Leg, Set Back Jack
- 2 5/16" Adjustable Demco Coupler
- 24" Safety Chains
- .080" PolyCor Exterior Skin (Available in Gloss Black, Polar White, Metallic Silver, Charcoal Gray)
- One Piece Aluminum Roof
- Screwless Skin Installation
- 16" Aluminum Stone Guard on Front
- Right And Left Wall Vents
- 24" Side Door w/Heavy Duty Cam Latch
- 6' 6" Interior Height with 1/2" OSB Wall Panels
- Aluminum H-Track For Wall Sheeting Splicing
- PolyCor HL Poly Corrugated Sheet for Under Alum. Roof
- Bowed Roof Crossmembers
- Zinc Plated Hardware
- LED D.O.T. Compliant Lighting with Reverse Lights
- LED 12v Interior Light with (2) Wall Switches
- License Plate Bracket
- 7 Blade RV Style Plug
- Durable 2-Component Urethane Primer and Top Coat on Frame (Black Frame is Standard)
- 5-Year Structural Warranty / 1-Year PolyCor Skin Warranty

1. Recessed E-Track

2. Recessed D-Rings

3. Rear Ramp Door with Knife Edge Approach

4. Breaker Box

5. V-Nose Side Mounted Ladder

AVAILABLE OPTIONS

TM500/TM600

- 24" or 30" Side Door
- Rear Ramp, ILO Barn Doors
- On Center 16" Floor Cross Members
- On Center 12" Floor Cross Members
- 5K Axle Upgrade
- Extended Height, 5' 6" Interior Height (TM500)
- Extended Height, 6' 6" Interior Height (TM600)
- D-Rings
- Flat Nose
- Rear Ramp

TM700/TM750/TM8500

Axles & Brake Upgrades

- 6k Axles (9990 GVWR)
- 7k Axles (14,000 GVWR)
- 8k Axles (16,000 GVWR)
- Torsion Axle(s)
- Electric/Hydraulic Disk Brakes

Ramp & Door Options

- Barn Doors
- Barn Doors with "Ramp Ready" Lip
- RV Door
- RV Latch on Side Door
- Extra-Wide Side Door (48")
- Retractable Single Side Door Step
- Knife Edge Ramp Door
- 5' Aluminum Ramps
- 2' Beavertail (Ramp or Barn Door Setup)
- 4' Beavertail (Ramp or Barn Door)
- Transition Flap
- Rear Wing with Area Lights
- Safe Assist Rear Ramp Door

Exterior & Styling

- Available Skin Colors (See Chart)
- Two-Tone Exterior Package
- Blackout Package
- 84" & 90", or 96" Extended Interior Height
- 24" ATP on Exterior Sides
- Stainless Steel Exterior Hardware Package
- Surface Mounted Reverse Taillights

Interior & Flooring Options

- Tredex Plywood Flooring
- Bedliner on Floor
- Bedliner on Ramp Only
- Recessed E-Track
- D-Rings
- Finished PolyCor Interior Package
- 14" x 14" Roof Vent (Non-Powered)

Chassis & Frame Upgrades

- Flat Nose
- Nose Cone (Flat Nose Only)
- 18" Extended Tongue
- Reinforced Roof
- Reinforced Flooring
- Reinforced Rear Door Frame
- Reinforced Rear Ramp
- 12" On-Center Floor Cross Members
- On-Center 12" Wall Cross Members
- ¾" Wall Upgrade (Lauan ILO Aluminum Trim)
- Skid Rollers (ILO Rear Skid Plates)
- Diamond Plate Front Tongue Platform
- Center Walkway on Roof

Tire/Wheel Options

- Spare Tire
- Spare Tire Mount (Interior or Exterior)

Racks & Storage Accessories


- Heavy-Duty Ladder Rack
- Side or Front Ladder
- Side-Mount Ladder Racks
- HD Roller for Loading Ladders
- Retractable Ratchet Straps (Set of 4 for Ladder Racks)
- Blower Rack
- Tool/Trimmer Rack
- Mesh Basket Mounted on Tongue-Flat Nose Only

Electrical & Lighting

- 12V Onboard Battery
- Solar Battery Charger, 50W
- LED Exterior Area Lights
- Additional Interior Lights
- 120V 15 Amp Electrical Package
- 120V 30 Amp Electrical Package
- 120/240V 30A Electrical Package
- 120/240V 50A Electrical Package
- Extra Interior 15A Duplex Outlet
- Extra Interior 20A Duplex Outlet
- Interior 30A 14-30 Outlet
- Interior 30A 14-50 Outlet
- Interior Lights 12/120V Power Changeover Kit


ELECTRICAL PACKAGES

120v AC 30A L5-30 Kit




Component	Details
Power Inlet	L5-30P Motor Base Plug Mounted on RS front wall above rock guard
Outlets	(2) 15A Interior Duplex Mounted 36" high on front side wall
Breaker Box	8-slot Breaker Box Mounted center of RS interior front wall
Main Breaker	30A single pole
Branch Breaker	15A single pole breaker wired to outlets

120v AC 15A 5-15 Kit



Component	Details
Power Inlet	5-15P Mounted on RS front wall above rock guard
Outlets	(2) 15A Interior Duplex Mounted 36" high on front side walls

120/240v AC 30A L14-30 Kit



Component	Details
Power Inlet	L14-30P Motor Base Plug Mounted on RS front wall above rock guard
Outlets	(2) 15A Interior Duplex Mounted 36" high on front side walls
Breaker Box	8-slot Breaker Box Mounted center of RS interior front wall
Main Breaker	30A double pole
Branch Breaker	15A single pole breaker wired to outlets


Additional Available Electrical Options:

Extra Interior 15A Duplex Outlet

Exterior 20A Duplex Outlet


Interior Lights 12/120v Power Changeover Kit

120/240v AC 50A SS2-50(CS6365) Kit




Component	Details
Power Inlet	SS2-50 Motor Base Plug Mounted on RS front wall above rock guard
Outlets	(2) 15A Interior Duplex Mounted 36" high on front side walls
Breaker Box	8-slot Breaker Box Mounted center of RS interior front wall
Main Breaker	50A double pole
Branch Breaker	15A single pole breaker wired to outlets

Option: Interior 50A 14-50 Outlet



Option: Interior 30A 14-30 Outlet



AVAILABLE COLORS

STANDARD EXTERIOR PAINT COLORS



Polar White



Gloss Black



Charcoal Grey



Metallic Silver

OPTIONAL EXTERIOR PAINT COLORS



Victory Red



Caution Yellow



Sahara Desert



True Blue




Construction Orange




Brandywine



Indigo Blue



Lucky Green



Champagne



POLAR WHITE



METALLIC SILVER



CHARCOAL GRAY



GLOSS BLACK



SAHARA DESERT



CHAMPAGNE



TRUE BLUE



INDIGO BLUE



LUCKY GREEN



CAUTION YELLOW



CONSTRUCTION ORANGE



VICTORY RED



BRANDYWINE

Standard Frame Color Is Black




TANDEM AXLE CARGO FRAME TUBING

Length	GVWR							
	7k		10k		14k		16k	
	Main	CM*	Main	CM	Main	CM	Main	CM
12'	6x2 11ga	2x2 14ga	6x2 11ga	2x2 14ga	6x2 7ga	2x3 14ga	6x3 7ga	2x3 14ga
14'	6x2 11ga	2x2 14ga	6x2 11ga	2x2 14ga	6x2 7ga	2x3 14ga	6x3 7ga	2x3 14ga
16'	6x2 11ga	2x2 14ga	6x2 11ga	2x2 14ga	6x2 7ga	2x3 14ga	6x3 1/4	2x3 14ga
18'	6x2 11ga	2x2 14ga	6x2 11ga	2x2 14ga	6x2 7ga	2x3 14ga	6x3 1/4	2x3 14ga
20'	6x2 11ga	2x2 14ga	6x2 11ga	2x2 14ga	6x2 7ga	2x3 14ga	6x3 1/4	2x3 14ga
22'	6x2 11ga	2x2 14ga	6x2 11ga	2x2 14ga	6x2 7ga	2x3 14ga	6x3 1/4	2x3 14ga
24'	6x2 11ga	2x2 14ga	6x2 11ga	2x2 14ga	6x2 7ga	2x3 14ga	6x3 1/4	2x3 14ga

*Crossmembers

SINGLE AXLE CARGO FRAME TUBING

Length	GVWR			
	3.5k		5k	
	Main	CM	Main	CM
8'	3x2 14ga	12ga C	3x2 11ga	12ga C
10'	3x2 14ga	12ga C	3x2 11ga	12ga C
12'	3x2 14ga	12ga C	3x2 11ga	12ga C





BELMONT PRODUCTS

Belmont produces trailers of all types: Utility, Landscape, Enclosed, Dump, Deckover, and Gooseneck.
Visit the Belmont website to see the full line of products.



ABOUT BELMONT TRAILERS

Belmont Trailers is a family-owned business located in the heart of Lancaster County, Pennsylvania.

With over 20 years of experience building trailers, Belmont is dedicated to delivering quality solutions that set the benchmark for excellence in the trailer industry. Belmont's skilled and dedicated team works hard to build trailers that will hold up for years to come.

We also stand behind our trailers with one of the best warranties in the industry.



PARTNER WITH BELMONT

Choosing Belmont Trailers means more than just buying a trailer- it means having a team that's committed to your satisfaction long after the sale. With reliable customer support and a wide range of customizable options, we're here to make sure you get exactly what you need, when you need it. At Belmont, we treat our customers like family- and we're ready to provide a trailer that's Built To Take It, just like you.



Give us a call at 800-380-2404, or scan the QR to find out more





BELMONT
TRAILERS™

BUILT TO TAKE IT



Belmont Trailers

40 Hess Rd, Leola, PA 17540

800-380-2404

www.belmonttrailers.com