



BELMONT
TRAILERS™



PRODUCT CATALOG

WELCOME TO BELMONT TRAILERS

At Belmont, our mission is to manufacture a diverse line of ruggedly built trailers supported by a robust service package for an outstanding transport experience.

Belmont Trailers is a family-owned business located in the heart of Lancaster County, Pennsylvania. With over 20 years of experience building trailers, Belmont is dedicated to delivering premium quality solutions that set the benchmark for excellence in the trailer industry. Belmont's skilled and dedicated team works hard to build trailers that will hold up for years to come. We also stand behind our trailers with one of the best warranties in the industry.

Belmont believes in applying old fashioned values in modern business. We stand by the work we do and the dealer partnerships we embrace by adhering to these **core values**:

GENUINE HUMILITY
RESPECT FOR PEOPLE
EXCEPTIONAL CUSTOMER SERVICE
SUPERIOR INNOVATION
CONTINUOUS IMPROVEMENT



CONTENTS

Utility	04
Aluminum Utility	08
Utility/Landscape	10
Car Hauler	14
Low Profile Equipment	16
Deckover	22
Hydraulic Dump	28
Options & Info.	36



UTILITY TRAILERS

If you're seeking a rugged, high-quality utility trailer, look no further. Built for daily use, this trailer is great for hauling around your ATV, commercial mower, or the host of other things that come up. This model series has been a bestseller for years and continues to be admired for a host of features and benefits not easily found elsewhere.

STANDARD FEATURES

- Heavy-Duty Tube Top Rail and Uprights
- 12" High Sides
- 2" X 8" Treated Yellow Pine Floor
- 4' Long Mesh Fold Flat Ramp with Spring Assist
- 3.5K Dexter EZ Lube Axles
- 15" White Mod Wheels
- 205/75R15 Load Range C Radial Tires
- 2K Bolt On, Set Back Jack
- 2" A-Frame Coupler
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Diamond Plate Fender Steps
- Spare Tire Mount

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- A-Frame Toolbox (Equal to A-Frame Channel Height)
- D-Rings
- Wider Deck
- 12" or 24" Mesh Sides
- Bi-Fold Mesh Ramp
- Adjustable Coupler
- Torsion Axle
- 5200 LB Axle With Upgrades
- 4" Drop Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires



UT612TT
*may show options

TUBE TOP UTILITY



UT508TT
*may show options

Model	GVWR	Empty Weight	Payload	Bed Height	Bed Size	Overall Size
UT508TT	2999	750	2249	19"	60" x 8'	80" x 11' 6"
UT510TT	2999	820	2179	19"	60" x 10'	80" x 13' 6"
UT610TT	2999	990	2009	19"	76" x 10'	96" x 13' 6"
UT612TT	2999	1070	1929	19"	76" x 12'	96" x 15' 6"
UT614TT	2999	1160	1839	19"	76" x 14'	96" x 17' 6"

All weights are estimates and posted without options



Tubular Frame Mesh Ramp with Spring Assist



Stow Loops For Safety Chains



Set Back Jack



Diamond Plate Fender Step



Grommet Mounted LED Lights

UTILITY TRAILERS

If you're seeking a rugged, high-quality utility trailer, look no further. Built for daily use, this trailer is great for hauling around your ATV, commercial mower, or the host of other things that come up. This model series has been a bestseller for years and continues to be admired for a host of features and benefits not easily found elsewhere.

STANDARD FEATURES

- Heavy-Duty Angle Iron Frame
- 18" High Sides,(To Top of Rail) 14 Gauge Front and Side Panels
- 1" x 1/8" Square Tube Top Tie Down Rail
- 2" X 8" Treated Yellow Pine Floor
- 4' Long Fold Flat Mesh Ramp with Spring Assist
- 3.5K Dexter EZ Lube Axles
- 15" White Mod Wheels
- 205/75R15 Load Range C Radial Tires
- 2K Bolt On, Set Back Jack
- 2" A-Frame Coupler
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Spare Tire Mount
- Diamond Plate Fender Steps

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- A-Frame Toolbox (Equal to A-Frame Channel Height)
- D-Rings
- Wider Deck
- Bi-Fold Mesh Ramp
- Adjustable Coupler
- Torsion Axle
- 5200 LB Axle With Upgrades
- 4" Drop Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires



UT510SS
*may show options

Model	GVWR	Empty Weight	Payload	bed Height	Bed Size	Overall Size
UT508SS	2999	870	2129	19"	60" x 8'	80" x 11' 6"
UT510SS	2999	910	2089	19"	60" x 10'	80" x 13' 6"
UT610SS	2999	1050	1949	19"	76" x 10'	96" x 13' 6"
UT612SS	2999	1200	1799	19"	76" x 12'	96" x 15' 6"
UT614SS	2999	1410	1589	19"	76" x 14'	96" x 17' 6"

All weights are estimates and posted without options

SOLID SIDE UTILITY



UT610SS
*may show options



Tubular Frame Mesh Ramp with Spring Assist



Stow Loops For Safety Chains



Set Back Jack



Diamond Plate Fender Step



Grommet Mounted LED Lights

ALUMINUM UTILITY



Designed and manufactured using methods proven in the aerospace industry, this trailer is one of the lightest aluminum trailers on the market, requires minimal maintenance and retains a high resale value. The solid sheet metal sides allow you to haul mulch, yard debris and many other things while the ramp allows you to easily load a mower and power equipment.

STANDARD FEATURES

- All Fabricated Lightweight Aluminum Construction
- Stake Pockets on Each Side
- Slot Tie Downs on the Sides and Front of the Trailer
- Lightweight Aluminum Ramp (AT5108 has a drop-in aluminum gate)
- Lippert Torsion Axle
- 205/75R15, Load Range C Radial Tires
- 15" Black Machined Aluminum Wheels (14" on Air 5108 model)
- 2" Fixed Zinc Plated Coupler
- Zinc Plated Safety Chains
- Surface Mounted LED Oval Stop/Tail/Turn Lights, Marker/Reflector LED Clearance and Marker Lights
- 4-Pin Electrical Harness Plug
- Straight Tongue (AIR5108, AIR6110)
- A-Frame Tongue (AIR7310, AIR7312, AIR8112)

AVAILABLE OPTIONS

- Spare Tire ST205/75R/15"
- Spare Tire Mount
- D-Ring Zinc Plated / Two Piece Tie Down
- Polyurea Bedliner



Model	GVWR	Empty Weight	Axles	Payload	Bed Height	Bed Size	Overall Size
AIR5108	2200	380	(1) 2.2K EZ Lube Torflex	1820	18"	51" x 8'	69" x 11' 2"
AIR6110	2999	500	(1) 3.5K EZ Lube Torflex	2499	18"	61" x 10'	79" x 13' 5"
AIR7310	2999	600	(1) 3.5K EZ Lube Torflex	2399	18"	73" x 10' 5"	91" x 14' 6"
AIR7320	2999	650	(1) 3.5K EZ Lube Torflex	2349	18"	73" x 12' 5"	91" x 16' 6"
AIR8112	2999	660	(1) 3.5K EZ Lube Torflex	2339	18"	81" x 12'	99" x 16' 1"

All weights are estimates and posted without options



Stake Pockets on Each Side



Black Machined Aluminum Wheels



Lightweight Aluminum Ramp



Surface Mounted LED Lights



Zinc Plated Safety Chains

UTILITY/LANDSCAPE TRAILERS

Designed with the commercial landscaper in mind, this trailer works well for multiple purposes and comes with countless standard features typically found only as options. Have ease of mind when transporting compact tractors, ATVs, large mowers and scores of other equipment.

Quality components coupled with stellar workmanship is the key to giving you years of reliable service.

STANDARD FEATURES

- Heavy-Duty Tube Top Rails and Uprights
- 12" High Sides
- Wrapped 5" Channel A-Frame Tongue
- 2" x 8" Treated Yellow Pine Floor
- 5' Long Heavy Duty Split Mesh Ramps with Spring Assist
- All-New HD Slam Latch for Ramps
- Demco 2 5/16" EZ Latch Coupler
- 7K Bolt On, Drop Leg, Set Back Jack
- Dexter EZ Lube Axles with Self-Adjusting Electric Brakes
- Steel Mod Wheels with Radial Tires
- Custom HD 14ga Diamond Plate Fenders
- Multiple Tie Off Points at Vertical Posts and Front Corners
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Topcoat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Curbside Spare Tire Mount
- 5-year Structural Warranty

AVAILABLE OPTIONS

- Torsion Axle Upgrade
- Aluminum Wheel Upgrade
- Surge Brakes ILO Elec. Brakes (Includes Hydraulic Drum Brakes, Actuator, Line Kit, and Installation)
- 12" High Mesh Sides
- 24" High Mesh Sides
- Additional Weld On D-Rings
- Solid Oak Wood Decking ILO Treated Yellow Pine
- Lockable A-Frame Toolbox
- Mesh Cargo Basket
- Upgrade To Non-Standard Color
- Hot Dipped Galvanized Finish

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
LT612TT-7K	7000	1690	5310	(2) 3.5K EZ Lube	19"	82" x 12'	102" x 18'
LT614TT-7K	7000	1800	5200	(2) 3.5K EZ Lube	19"	82" x 14'	102" x 18'
LT616TT-7K	7000	2100	4900	(2) 3.5K EZ Lube	19"	82" x 16'	102" x 20'
LT618TT-7K	7000	2270	4730	(2) 3.5K EZ Lube	19"	82" x 18'	102" x 22'
LT620TT-7K	7000	2420	4580	(2) 3.5K EZ Lube	19"	82" x 20'	102" x 24'
LT616TT-10K	9990	2255	7735	(2) 5.2K EZ Lube	19"	82" x 16'	102" x 20'
LT618TT-10K	9990	2490	7500	(2) 5.2K EZ Lube	19"	82" x 18'	102" x 22'
LT620TT-10K	9990	2580	7410	(2) 5.2K EZ Lube	19"	82" x 20'	102" x 24'
LT622TT-10K	9990	2800	7190	(2) 5.2K EZ Lube	19"	82" x 22'	102" x 26'

All weights are estimates and posted without options

TUBE TOP LANDSCAPE




LT616TT-10K
*may show options



Demco 2 5/16" EZ Latch Coupler



Integrated Uprights with Tie Down Points



5' Long Heavy Duty Split Mesh Ramps



All-New HD Slam Latch for Ramps



Corner Post Tie Downs

UTILITY/LANDSCAPE TRAILERS

A great choice for commercial landscapers and others looking for a versatile trailer, it does equally well with equipment, brush, and a host of other jobs. Light, but strong, tubing rib 5' spring assist ramps have a gentle slope, allowing you to easily load your equipment.

STANDARD FEATURES

- Heavy-Duty Angle Iron-Frame
- 18" High Sides (To Top of Rail) 14 Gauge Front and Side Panels
- 1" x 1/8" Square Tube Top Tie Down Rail
- Wrapped 5" Channel A-Frame Tongue
- 2" X 8" Treated Yellow Pine Floor
- 5' Long Heavy Duty Split Mesh Ramps with Spring Assist
- All-New HD Slam Latch for Ramps
- Demco 2 5/16 " EZ Latch Coupler
- 7K Bolt On, Drop Leg, Set Back Jack
- (2) 3.5K Dexter EZ Lube Axles with Self-Adjusting Electric Brakes
- 5 Bolt Steel Mod Wheels with Radial Tires
- Custom HD 14ga Diamond Plate Fenders
- ST205/75R15 Load Range "C" Tires
- Multiple Tie Off Points at Vertical Posts and Front Corners
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Topcoat
- Sealed Phillips Modular Wiring Harness
- Grommet Mounted LED Lights
- Curbside Spare Tire Mount
- 5-year Structural Warranty

AVAILABLE OPTIONS

- Torsion Axle Upgrade
- Aluminum Wheel Upgrade
- Surge Brakes ILO Elec. Brakes (Includes Hydraulic Drum Brakes, Actuator, Line Kit, and Installation)
- 24" High Solid Sides
- 36" High Mesh Sides
- Additional Weld On D-Rings
- Solid Oak Wood Decking ILO Treated Yellow Pine
- Lockable A-Frame Toolbox
- Mesh Cargo Basket
- Upgrade To Non-Standard Color
- Hot Dipped Galvanized Finish

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
LT612SS-7K	7000	1750	5250	(2) 3.5K E-Z Lube	19"	82" X 12'	102" X 16'
LT614SS-7K	7000	1880	5120	(2) 3.5K E-Z Lube	19"	82" X 14'	102" X 18'
LT616SS-7K	7000	2140	4860	(2) 3.5K E-Z Lube	19"	82" X 16'	102" X 20'
LT618SS-7K	7000	2230	4770	(2) 3.5K E-Z Lube	19"	82" X 18'	102" X 22'
LT620SS-7K	7000	2400	4600	(2) 3.5K E-Z Lube	19"	82" X 20'	102" X 24'

All weights are estimates and posted without options

SOLID SIDE LANDSCAPE



LT614SS-7K
*may show options



Smooth Ramp Ends



Custom HD 14ga
Diamond Plate Fenders



Traction Steps



All-New HD Slam Latch for
Ramps



Spare Tire Mount

CAR HAULER



For years, car enthusiasts have appreciated the rugged design and high quality of this trailer.
If you care for what you're hauling, do it right and buy a Belmont.

STANDARD FEATURES

- Heavy-Duty Steel Frame
- Tube Steel Front Rail
- 2" X 8" Treated Yellow Pine Floor
- 2⁵/₁₆" Coupler (Fixed A-Frame on 7K - Demco EZ Latch Adjustable Coupler, Channel Mount on 10K)
- Removable Zinc Plated Safety Chains with Stow Hooks
- Bolt On, Drop Leg, Set Back Jack
- Dexter EZ Lube Axles
- Mod Wheels with Radial Tires
- Self Adjusting Electric Brakes On Both Axles
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Winch Mount at A-Frame
- Diamond Plate Fenders
- 3' Steel Diamond Plate Beavertail
- 54" Slide In Ramps
- 82" Between Fenders
- Stake Pockets

AVAILABLE OPTIONS


- Hot Dipped Galvanized Finish
- A-Frame Toolbox (Equal to A-Frame Channel Height)
- D-Rings
- Removable Fenders
- Diamond Plate Deck and Ramps
- Adjustable Coupler
- Surge Brakes
- Torsion Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires



CH818-7K
*may show options

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
CH816-7K	7000	1900	5100	(2) 3.5K E-Z Lube	22"	82" x 13'+3'	101½" x 19' 10"
CH818-7K	7000	2080	4920	(2) 3.5K E-Z Lube	22"	82" x 15'+3'	101½" x 21' 10"
CH816-10K	9990	2110	7880	(2) 5.2K E-Z Lube	23"	82" x 13'+3'	101½" x 19' 10"
CH818-10K	9990	2340	7650	(2) 5.2K E-Z Lube	23"	82" x 15'+3'	101½" x 21' 10"
CH820-10K	9990	2540	7450	(2) 5.2K E-Z Lube	23"	82" x 17'+3'	101½" x 23' 10"

All weights are estimates and posted without options



CH818-7K
WITH STEEL DECK OPTION
*may show options




Winch Mounting Plate




Rugged Diamond Plate Fenders



Grommet Mounted LED Lights



Steel Diamond Plate Beavertail



54" Slide In Ladder Ramps

LOW PROFILE EQUIPMENT TRAILERS

Designed for the serious user, this ruggedly built trailer is Built to Take It. A large roomy lockable toolbox, a premium Phillips modular wiring harness and a high-quality paint job are just a few of the features of this trailer. The Dexter 4" drop axles gives it a lower bed height, which means a lower center of gravity when hauling equipment and allows for easier loading and unloading with the ramps.

STANDARD FEATURES

- Heavy-Duty Steel Channel Frame
- Tube Steel Front Rail
- 5' Long Spring Assisted Ladder Ramps with Support Stands
- 2" X 8" Treated Yellow Pine Floor
- Demco 2 5/16" EZ Latch Adjustable Coupler, Channel Mount
- Removable Zinc Plated Safety Chains with Stow Hooks
- Dexter EZ Lube Axles with Self Adjusting Electric Brakes
- Mod Wheels and Radial Tires
- 12K Bolt On, Drop Leg Jack
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Diamond Plate Fenders
- Rub Rail with Stake Pockets and Chain Posts
- Lockable A-Frame Toolbox
- Extra Low Deck Height

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- D-Rings
- Winch Mount
- Spare Tire Mount
- Fork Attachment Storage Pockets
- I-Beam Gooseneck
- Mesh Ramps
- Longer Ladder Ramps
- 4-Bolt Pintle Ring
- Surge Brakes
- Hydraulic Drum Brakes
- Torsion Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
SS1016-10K	9990	2760	7230	(2) 5.2K, 4" Drop, E-Z Lube	20½"	82" x 16'	101½" x 22' 4"
SS1016-14K	14000	2830	11170	(2) 7K, 4" Drop, E-Z Lube	22½"	82" x 16'	101½" x 22' 4"
SS1018-10K	9990	2897	7093	(2) 5.2K, 4" Drop, E-Z Lube	20½"	82" x 18'	101½" x 24' 4"
SS1018-14K	14000	2950	11050	(2) 7K, 4" Drop, E-Z Lube	22½"	82" x 18'	101½" x 24' 4"
SS1018-16K	16000	3710	12290	(2) 8K, 4" Drop, E-Z Lube	23"	82" x 18'	101½" x 24' 4"
SS1020-14K	14000	3300	10700	(2) 7K, 4" Drop, E-Z Lube	22½"	82" x 20'	101½" x 26' 4"
SS1020-16K	16000	3880	12120	(2) 8K, 4" Drop, E-Z Lube	23"	81" x 20'	101½" x 26' 4"
SS1024-16K	16000	4510	11490	(2) 8K, 4" Drop, E-Z Lube	25"	81" x 24'	101½" x 30' 4"

All weights are estimates and posted without options

SKID STEER/ EQUIPMENT



SS1018-14K
*may show options



Large Locking Toolbox



12K Topwind Jack
(7K on 10K Models)



Grommet Mounted
LED Lights



Stand Up Ladder Ramps



Rugged Diamond
Plate Fenders

GRAVITY TILT SKID STEER/ EQUIPMENT



Skid steer loaders, track loaders, and mini excavators can be transported efficiently with this tilt deck trailer. The deck is well-balanced enough that when the lock is released, a person can stand on the tail and lower it. The hydraulic dampening cylinder with a flow control valve keeps the deck from going in either direction too fast.

STANDARD FEATURES

- Heavy-Duty Channel Frame
- Tube Steel Front Rail
- 2" X 8" Treated Yellow Pine Floor
- 4' Stationary Front Deck is Std. on 22' Models
- Gravity Tilt with Hydraulic Cushion Cylinder
- 10 Deg. Load Angle
- Demco 2 5/16" EZ Latch Adjustable Coupler, Channel Mount
- Removable Zinc Plated Safety Chains with Stow Hooks
- 12K Bolt On, Drop Leg Jack
- Dexter EZ Lube Axles with Self Adjusting Electric Brakes
- Mod Wheels and Radial Tires
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted Led Lights
- Diamond Plate Fenders
- Lockable A-Frame Toolbox
- Weld On D-Rings
- Adjustable Tilt Speed Control
- Diamond Plate Duckbill

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- Additional D-Rings
- Winch Mount
- Spare Tire Mount
- Power Up / Power Down 12V Hydraulic Pump Package
- Fork Attachment Storage Pockets
- Knife Edge Duckbill
- I-Beam Gooseneck
- Full Tilt Deck On 22' Models
- 6' Stationary Deck
- 4-Bolt Pintle Ring
- Surge Brakes
- Hydraulic Drum Brakes
- Torsion Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires



SSTD18-10K
*may show options

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
SSTD18-10K	9990	3170	6820	(2) 5.2K E-Z Lube	21"	81" x 18'	102" x 23' 4"
SSTD18-14K	14000	3220	10780	(2) 7K E-Z Lube	23"	81" x 18'	102" x 23' 4"
SSTD22-14K	14000	3550	10450	(2) 7K E-Z Lube	23"	81" x 22'	102" x 27' 3"
SSTD22-16K	16000	3900	12100	(2) 8K E-Z Lube	23"	80" x 22'	102" x 27' 3"

All weights are estimates and posted without options



SSTD22-14K
*may show options



Large Locking Toolbox



Rugged Diamond Plate Fenders



Single Point Tilt Deck Latch



Cushion Cylinder With Adjustable Flow Valve



Grommet Mounted LED Lights

POWER TILT EQUIPMENT



If you have scissor lifts or other specialty equipment that are a challenge to load with an ordinary trailer, you should consider this tilt trailer. It is a great choice for contractors and rental yards that are looking for a ruggedly built trailer that will hold up with heavy use. Specify the optional pair of 3' ramps to reduce your tilt angle even more.

STANDARD FEATURES

- Heavy-Duty Steel Frame
- 3/16" Diamond Plate Deck and Duckbill
(1/8" Diamond Plate Deck and Duckbill on SLT7212-6K)
- 12v Hydraulics with 2" Cylinder
- Demco 2 5/16" EZ Latch Adjustable Coupler, Channel Mount
- Removable Zinc Plated Safety Chains with Stow Hooks
- Bolt On, Drop Leg Jack
- Dexter EZ Lube Axle(s) with Self Adjusting Electric Brakes
- Mod Wheels and Radial Tires
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted Led Lights
- Diamond Plate Fenders
- Lockable A-Frame Toolbox
- 12V Hydraulic Power Unit (Power Up Gravity Down)
- 12V Deep Cycle Battery
- Weld On D-Rings
- Anti-skid Deck Coating

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- Additional D-Rings
- Winch Mount
- Spare Tire Mount
- Onboard Battery Charger
- 5-Watt Solar Panel Charger
- Additional Trailer Length
- 12K Hydraulic Jacks
- 4-Bolt Pintle Ring
- Surge Brakes
- Torsion Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires



SLT7212-6K
*may show options

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
SLT7212-6K	6000	1880	4120	(1) 6 KH E-Z Lube	15"	72" x 12'	96" x 18'
SLT8012-12K	12000	2890	9110	(2) 6 KH E-Z Lube	16"	80" x 12'	102" x 18' 2"
SLT8016-10K	9990	3250	6740	(2) 5.2K E-Z Lube	14½"	80" x 16'	102" x 22' 2"
SLT8016-14K	14000	3620	10380	(2) 7K E-Z Lube	16"	80" x 16'	102" x 22' 2"
SLT8020-14K	14000	4020	9980	(2) 7K E-Z Lube	16"	80" x 20'	102" x 26' 2"

All weights are estimates and posted without options



SLT8016-14K
*may show options



2 5/16" Adjustable Channel Coupler



Locking Toolbox



Weld On D Rings



Anti-Slip Coating



Rugged Diamond Plate Fenders and Steps

DECKOVER TRAILERS


A compact but well-built deckover trailer has almost endless uses around the farm or on the job site. Moving equipment, picking up building material or delivering a load of hay is all in a day's work. The 3' adjustable beavertail with slide-in ramps is a popular option for people that value versatility.

STANDARD FEATURES

- Heavy-Duty Steel Frame
- Sturdy Front Headboard
- 2" X 8" Treated Yellow Pine Floor
- Demco 2 5/16" EZ Latch Adjustable Coupler,
- Channel Mount
- 7K Bolt On, Drop Leg Jack
- Dexter EZ Lube Axles with Self Adjusting Electric Brakes
- Mod Wheels and Radial Tires
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- 3' Long, High Clearance Beavertail
- 5' Long Spring Assisted Ladder Ramps with Support Stands
- Full Length Rub Rail with Stake Pockets and Chain Posts
- Lockable A-Frame Toolbox

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- D-Rings
- Winch Mount
- Underbody Windup Spare Tire Mount
- Frame Mounted Swivel Support Stands (Std. on Adjustable Beavertail)
- Additional LED Lights
- Additional Trailer Length
- Total Flat Deck - No Ramps or Beavertail
- Heavy Duty Split Mesh Ramps
- Adjustable Beavertail With Slide In or Stand Up Ramps
- 4-Bolt Pintle Ring
- Surge Brakes
- Torsion Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires
- 4" Straps on Sliding Winch Track



DO817-10K
*may show options

DECKOVER



DO817-10K
*may show options

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
DO817-7K	7000	2730	4270	(2) 3.5K E-Z Lube	29½"	91" x 14'+3'	96" x 21' 3"
DO817-10K	9990	2810	7180	(2) 5.2K E-Z Lube	30½"	91" x 14'+3'	96" x 21' 3"
DO820-10K	9990	3030	6960	(2) 5.2K E-Z Lube	30½"	91" x 17'+3'	96" x 24' 3"

All weights are estimates and posted without options



Stand Up Ladder Ramps




7K Topwind Dropleg Jack



Grommet Mounted LED Lights



Full Length Rub Rails With Stake Pockets



2 5/16" Adjustable Coupler

DECKOVER TRAILERS

Proven to hold up excellently under demanding conditions, the design of this iconic, rugged, deck over trailer has not changed much over the years. A large roomy toolbox has ample storage for chains, binders and other items needed to finish the job promptly.

STANDARD FEATURES

- Heavy-Duty Formed Steel I-Beam Frame
- 10" High Front Headboard
- 2" X 8" Treated Yellow Pine Floor
- Demco 2 5/16" EZ Latch Adjustable Coupler, Channel Mount
- 12K Bolt On, Drop Leg Jack
- Dexter EZ Lube Axles with Self Adjusting Electric Brakes
- Mod Wheels and Radial Tires
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- 5' Long Spring Assisted Ladder Ramps with Support Stands
- Full Length Rub Rail with Stake Pockets and Chain Posts
- Lockable A-Frame Diamond Plate Toolbox

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- Underbody Mounted Toolboxes
- D-Rings
- Winch Mount
- Gooseneck Hitch ILO A-Frame Hitch
- Underbody Windup Spare Tire Mount
- Frame Mounted Swivel Support Stands (Std. on Adjustable Beavertail)
- Additional LED Lights
- Additional Trailer Length
- Total Flat Deck - No Ramps or Beavertail
- Heavy Duty Split Mesh Ramps
- Full Width Wedge Ramps
- Twin Sidewind 12K Jacks
- 12K Hydraulic Jacks
- 4-Bolt Pintle Ring
- Surge Brakes
- Hydraulic Disc or Drum Brakes
- Torsion Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires
- 4" Straps on Sliding Winch Track

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
DO920-14K	14000	3740	10260	(2) 7K E-Z Lube	34"	96" x 16'+4'	101½" x 25' 4"
DO920-16K	16000	4000	12000	(2) 8K E-Z Lube	35"	96" x 16'+4'	101½" x 25' 4"
DO924-14K	14000	4050	9950	(2) 7K E-Z Lube	34"	96" x 20'+4'	101½" x 30' 4"
DO924-16K	16000	4300	11700	(2) 8K E-Z Lube	35"	96" x 20'+4'	101½" x 30' 4"
DO930-14K	14000	4600	9400	(2) 7K E-Z Lube	34"	96" x 26'+4'	101½" x 35' 4"
DO930-16K	14000	4850	11150	(2) 8K E-Z Lube	35"	96" x 26'+4'	101½" x 35' 4"

All weights are estimates and posted without options

DECKOVER HD



DO920-14K
*shown with optional full width wedge ramps



12K Topwind Dropleg Jack



Lockable Toolbox



Full Length Rub Rails With Stake Pockets



2 5/16" Adjustable Coupler

DECKOVER TRAILERS

This trailer has the advantage of a full-width deck with the added flexibility of the tilt feature. Efficiently transport tractors and other equipment and materials day after day. The swing-out duckbill in the back extends the deck during loading and reduces the tilt angle.

STANDARD FEATURES

- Heavy-Duty Steel I-Beam Frame
- Tube Steel Front Rail
- 2" X 8" Treated Yellow Pine Floor
- 24" Long Fold Under Duckbill
- Single Lever Tilt Bed Latch
- Dexter EZ Lube Torsion Axles
- Self Adjusting Electric Brakes
- Mod Wheels and Radial Tires
- 12K Bolt On, Drop Leg Jack
- Demco 2 5/16" EZ Latch Adjustable Coupler, Channel Mount
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Lockable A-Frame Diamond Plate Toolbox
- Twin Hydraulic Cylinders
- 12V Hydraulic Power Unit (Power Up, Power Down)
- 12V Deep Cycle Battery

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- Underbody Mounted Toolboxes
- D-Rings
- Winch Mount
- Gooseneck Hitch ILO A-Frame Hitch
- Underbody Windup Spare Tire Mount
- Additional Trailer Length
- Twin Sidewind 12K Jacks
- 12K Hydraulic Jacks
- 4-Bolt Pintle Ring
- Surge Brakes
- Hydraulic Disc or Drum Brakes
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires
- 4' Stationary Deck (20' Tilt)
- I-Beam Gooseneck
- Additional LED Lights
- 4" Straps on Sliding Winch Track



DO924TD-14K
*may show options

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
DO924TD-14K	14000	4600	9400	(2) 7K E-Z Lube	33"	96" x 24'	102" x 29' 4"
DO924TD-16K	16000	4700	11300	(2) 8K E-Z Lube	35"	96" x 24'	102" x 29' 4"

All weights are estimates and posted without options

DECKOVER TILT DECK



DO924TD-14K
*may show options




12K Topwind Dropleg Jack



Twin Hydraulic Cylinders



Grommet Mounted LED Lights



12V Hydraulic Power Unit



2 5/16" Adjustable Coupler

HYDRAULIC DUMP TRAILERS

MINI DUMP

This small, compact dump trailer is perfect for hauling firewood, mulch and many other contents around your home or farm. The Dexter axle and the USA Made welded cylinder can give you years of dependable service. This trailer will be a good investment with many dividends.

STANDARD FEATURES

- Heavy Duty Steel Frame
- 20" High 14ga Formed Steel Sides
- 11ga Steel Floor
- Spread and Dump Gate
- 5.2K Dexter EZ Lube Axles
- Self Adjusting Electric Brakes
- ST225/75R15 "D" Radial Tires
- 6 Bolt 15" Silver Mod Wheels
- 2⁵/₁₆" A-Frame Coupler
- Removable Zinc Plated Safety Chains with Stow Hooks
- 5K Bolt On, Set Back Jack
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Diamond Plate Fenders
- Lockable A-Frame Toolbox
- 12V Hydraulic Power Unit
- 12V Deep Cycle Battery

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- D-Rings
- Wireless Remote
- Spare Tire Mount
- Onboard Battery Charger
- 5-Watt Solar Panel Charger
- Barn Doors
- Adjustable Coupler
- Surge Brakes
- Torsion Axle
- 4" Drop Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires



DT508
*may show options

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
DT508	5200	1680	3520	(1) 5.2K E-Z Lube	27"	60" x 8'	80" x 12' 4"

All weights are estimates and posted without options



12V Hydraulic Power Unit



Lockable Toolbox



Grommet Mounted LED Lights

HYDRAULIC DUMP TRAILERS

Are you a contractor or a landscaper? Find value with the DTL series dump trailer. The 10ga floor, structural steel frame, Dexter axles, and superior paint job are all indicators of that value. The Belmont 5-Year Manufacturers Warranty is the proof.

STANDARD FEATURES

- Heavy Duty Steel Frame
- 20" High 12ga Formed Steel Sides
- 10ga Steel Floor
- 3-Way Rear Gate
- Swing Open Barn Doors
- 6' Slide-In Ladder Ramps
- Outside Stake Pockets
- (4) D-Rings Welded On Side Wall
- Dexter EZ Lube Axles
- with Self Adjusting Brakes
- Slipper Spring Suspension
- Mod Wheels and Radial Tires
- Demco 2 5/16" EZ Latch Adjustable Coupler, Channel Mount
- Spare Tire Mount on Dump Body Side Wall
- Bolt On, Drop Leg, Set Back Jack
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Diamond Plate Fenders
- Lockable A-Frame Toolbox
- Long Lasting USA Made Welded Cylinder(s)
- 12V Hydraulic Power Unit (Power Up Gravity Down)
- 12V Deep Cycle Battery
- Onboard Charger (DTL8100 Series)
- Tarp Roller Kit (DTL8100 Series)
- Mounts for Optional Rear Support Stands (DTL8100 Series)

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- Mesh Tarp And Roller Kit
- Additional D-Rings
- Wireless Remote
- Spare Tire Mount
- Rear Support Stands
- Onboard Battery Charger
- 5-Watt Solar Panel Charger
- 44" High Sides
- 24" High Mesh Side Extensions
- Tarp Anti-Sail Bar
- No Ramps and Ramp Slides
- Barn Doors and Spread Gate
- 4-Bolt Pintle Ring
- Surge Brakes
- Torsion Axle
- 4" Drop Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
DTL7210-7K	7000	2695	4305	(2) 3.5K E-Z Lube	28"	72" x 10'	94" x 15'
DTL7210-10K	9990	2875	7115	(2) 5.2K E-Z Lube	28"	72" x 10'	94" x 15'
DTL7212-10K	9990	3190	6800	(2) 5.2K E-Z Lube	29"	72" x 12'	94" x 17'
DTL7212-12K	12000	3250	8750	(2) 6KH E-Z Lube	29"	72" x 12'	94" x 17'
DTL8112-12K	12000	3480	8520	(2) 6KH E-Z Lube	31"	81" x 12'	102" x 17'
DTL8114-12K	12000	3805	8195	(2) 6KH E-Z Lube	31"	81" x 14'	102" x 19'
DTL8114-14K	14000	3820	10180	(2) 7K E-Z Lube	31"	81" x 14'	102" x 19'

All weights are estimates and posted without options

LOW PROFILE DUMP



DTL7210-10K
*may show options



Lockable Toolbox



Slide In Ladder Ramps



Spring Loaded Door Holdbacks



Heavy Duty Barn Door Latch



Grommet Mounted LED Lights

HYDRAULIC DUMP TRAILERS

DLX Series dump trailers are built for performance and durability and engineered to meet the toughest demands of today's hauling needs.

This next-generation trailer combines cutting-edge technology, industry-first features, and enhanced design to deliver unmatched functionality and durability.

STANDARD FEATURES

- Heavy Duty 8" I-Beam Frame (10" on 20K)
- 24" High 12ga Strenx® Formed Walls
- Low Profile 5-Stage Front Telescopic Cylinder
- 11ga Dent Resistant Hardox® Floor
- 3-Way Tailgate- Barn Doors, Spread/ Dump and Tailgate
- 6' Slide-In Ladder Ramps
- Reinforced Enclosed Top Rail With Stake Pockets
- (4) D-Rings Welded On Each Side Wall 14' & 16' Models
- (3) D-Rings Welded On Each Side Wall 12' Models
- Dexter EZ Lube Axles with Self Adjusting Brakes
- Mod Wheels and Radial Tires
- Demco 2⁵/₁₆" Adjustable Coupler, Flat Plate Mount
- Removable Zinc Plated Safety Chains with Stow Hooks
- 12K Hydraulic Jack
- Front & Rear Mounted Side Steps
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Under-bed Tool Storage Compartment
- 11ga Diamond Plate Fenders
- Lockable Toolbox with Separate Compartment for Hydraulics
- DLH 12V Hydraulic Power Unit (High Flow)
- 12V Deep Cycle Battery and Onboard Battery Charger
- Integrated Tarp Valance
- Spare Tire Mount
- Rear Support Stands
- Mesh Tarp And Roller Kit

AVAILABLE OPTIONS

- Aluminum Wheels / Radial Tires
- Spare Tire and Wheel
- Torsion Axle Upgrade
- Hydraulic Disc or Drum Brakes
- Adjustable 4-Bolt Pintle Ring ILO 2⁵/₁₆" Adj. Coupler
- No Ramps and Ramp Slides
- Tarp Anti Sail Bar
- 24" High Mesh Side Extensions
- 48" High Sides
- Gooseneck Hitch ILO A-Frame
- 6' Stationary Deck In Front of Dump Bed With Mesh Side Ramp
- Solar 5-Watt Battery Charger
- Formed Steel Tarp Cover
- Wireless Remote
- D-Ring, Weld On, Additional
- Hot Dipped Galvanized Finish (Subframe Only)

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
DLX8212-10K	9900	3850	6140	(2) 5.2K E-Z Lube	27"	82" x 12'	102" x 18'
DLX8212-14K	14000	3850	6140	(2) 5.2K E-Z Lube	27"	82" x 12'	102" x 18'
DLX8214-14K	14000	4660	9340	(2) 7K E-Z Lube	27"	82" x 14'	102" x 20'
DLX8216-14K	14000	5150	8850	(2) 7K E-Z Lube	27"	82" x 16'	102" x 22'
DLX8214-16K	16000	5650	10350	(2) 8K E-Z Lube	27"	82" x 16'	102" x 22'
DLX8216-16K	16000	5290	8710	(2) 8K E-Z Lube	27"	82" x 14'	102" x 20'
DLX8216-20K	20000	5900	14100	(2) 10K E-Z Lube	28"	82" x 16'	102" x 22'

All weights are estimates and posted without options

LOW PROFILE DUMP HD



Low Profile 5-Stage Front Telescopic Cylinder



11 ga. Diamond Plate Fenders



Lockable Toolbox



Demco Coupler & Flat Plate Mount

HYDRAULIC DUMP TRAILERS

These versatile and durable deck over dump trailers are popular with contractors. Easily transport a load of stones, and with the fold-down sides, you can put in skidded materials as well. The heavy-duty frame is designed to have what it takes to keep your guys moving.

STANDARD FEATURES

- Heavy Duty I-Beam Chassis Design
- Formed Sheet Metal Fold Down Sides
- Slam Latch Fold Down Side Latch
- 20" High Welded Sides
- 3/16 Sheet Metal Floor
- 96" Inside Bed Width
- Barn Door/Spreadgate Rear Doors
- Ramp Slides for Option
- Aluminum Slide In Ramps
- (4) Weld On D-Rings
- Dexter EZ Lube Axles with Self Adjusting Brakes
- Mod Wheels and Radial Tires
- Demco 2⁵/₁₆" Adjustable Coupler,
- Flat Plate Mount
- Set Back Drop Leg Jack
- Removable Zinc Plated Safety Chains with Stow Hooks
- High-Quality Urethane Paint Primer and Top Coat
- Sealed Modular Wiring Harness
- Grommet Mounted LED Lights
- Large Lockable Toolbox for Hydraulics
- Long Lasting USA Made Welded Cylinders
- 12V Hydraulic Power Unit, Power Up Power Down
- 12V Deep Cycle Battery and Onboard Battery Charger

AVAILABLE OPTIONS

- Hot Dipped Galvanized Finish
- Mesh Tarp And Roller Kit
- D-Rings
- Wireless Remote
- Spare Tire Mount
- 5-Watt Solar Panel Charger
- I-Beam Gooseneck
- Tarp Anti Sail Bar
- Barn Doors
- 7' Long Ladder Ramps
- 12K Hydraulic Jacks
- 4-Bolt Pintle Ring
- Surge Brakes
- Hydraulic Disc or Drum Brakes
- Torsion Axle
- Spare Tire and Wheel
- Aluminum Wheels / Radial Tires



D0610DT-10K
*may show options

DECKOVER DUMP




D0816DT-14K
*may show options

Model	GVWR	Empty Weight	Payload	Axles	Bed Height	Bed Size	Overall Size
DT610DO-10K	9990	2740	7250	(2) 5.2K E-Z Lube	33"	72" x 10'	78" x 15'
DT712DO-14K	14000	3600	10400	(2) 7K E-Z Lube	34"	84" x 12'	90" x 17'
DT714DO-14K	14000	4370	9630	(2) 7K E-Z Lube	34"	84" x 14'	90" x 19'
DT814DO-14K	14000	4560	9440	(2) 7K E-Z Lube	34"	96" x 14'	102" x 19'
DT816DO-14K	14000	5050	8950	(2) 7K E-Z Lube	34"	96" x 16'	102" x 21'
DT816DO-16K	16000	5330	10670	(2) 8K E-Z Lube	34"	96" x 16'	102" x 21'

All weights are estimates and posted without options



Lockable Toolbox



Topwind Dropleg Jack



Grommet Mounted LED Lights

OPTIONS



RAMPS & BEAVERTAIL OPTIONS



FULL WIDTH WEDGE RAMPS



ADJUSTABLE BEAVERTAIL WITH 5' SLIDE IN LADDER RAMPS



FLAT DECK OPTION



5' WIDE SIDE GATE OPTION



BI-FOLD MESH RAMP GATE



3' RAMPS FOR SLT TRAILERS



FLAT DECK WITH ALUMINUM RAMPS



5' SPLIT MESH RAMPS ON DECKOVER WITH OPTIONAL SUPPORT STANDS



2' BEAVERTAIL ON UT LANDSCAPE TRAILERS

MISC OPTIONS



MESH CARGO BASKET



6" OVAL BACKUP LIGHT



COVER FOR MESH TARP AND ROLLER KIT



6" OVAL STOP / TURN / TAIL / BACKUP LIGHTS

SIDE OPTIONS



24" MESH SIDES (AVAILABLE UP TO 6' HIGH)




44" HIGH SIDES (AVAILABLE UP TO 6' HIGH)



24" MESH SIDE EXTENSION FOR DUMP TRAILER

OPTIONS

COLORS



**colors for representative purposes only, actual paint may vary*

**other colors available upon request*

OPTIONS

TIRES/WHEELS



ALUMINUM MOD WHEEL/TIRE



GALVANIZED MOD WHEEL/TIRE



BLACK MOD WHEEL/TIRE



BLACK MACHINED ALUMINUM WHEEL/TIRE

TIRE & WHEEL OPTIONS

Description	Addl. Description
Tire/Wheel, ST205/75R14 C, AM03 Black Machined Aluminum 14" 545	2.2k Axles
Tire/Wheel, ST205/75R15 C, AM03 Black Machined Aluminum 15" 545	3.5k Axles
Tire/Wheel, ST205/75R15 C, White Mod 15" 545	3.5k Axles
Tire/Wheel, ST205/75R15 C, Black Mod 15" 545	3.5k Axles
Tire/Wheel, ST205/75R15 C, Galvanized Mod 15" 545	3.5k Axles
Tire/Wheel, ST205/75R15 C, Aluminum Mod 15" 545	3.5k Axles
Tire/Wheel, ST205/75D15 C, Silver Spoke 15" 545	3.5k Axles
Tire/Wheel, ST225/75R15 D, Silver Mod 15" 655	5-6K Axles
Tire/Wheel, ST225/75R15 D, Galvanized Mod 15" 655	5-6K Axles
Tire/Wheel, ST225/75R15 D, Aluminum Mod 15" 655	5-6k Axles Includes Lugs & Caps
Tire/Wheel, ST225/75R15 D, Black Mod 15" 655	5-6K Axles
Tire/Wheel, ST225/75R15 D, AM03 Black Machined Aluminum 15" 655	5-6K Axles
Tire/Wheel LT195/75R16 C, EAGLE BLK Machined Aluminum 16" 655	4.4k Axles Flat Trak Car Hauler
Tire/Wheel, ST225/75R15 D, White Mod 15" 655	5-6k Axles
Tire/Wheel, ST235/80R16, Silver Mod 16" 655	6K Axle
Tire/Wheel, ST235/80R16 E, Silver Mod 16" 865	7K Axle
Tire/Wheel, ST235/85R16 F, Silver Mod 16" 865	
Tire/Wheel, ST235/80R16 E, Black Mod 16" 865	14K Trailers Before 11-18
Tire/Wheel, ST235/80R16 E, Aluminum Mod 16" 865	7K Axle
Tire/Wheel, ST235/80R16 E, Galvanized Spoke 16" 865	7K Axle
Tire/Wheel, ST235/85R16 E, AM03 Black Machined Aluminum 16" 865	7K Axle
Tire/Wheel, ST235/80R16 E, EAGLE BLK Machined Aluminum 16" 865	Flat Trak Enclosed 7k Axle
Tire/Wheel, ST235/80R16 G, Silver Mod 16" 865	7K Axle, Tire Upgrade
Tire/Wheel, ST235/80R16 G, Black Mod 16" 865	7K Axle, Tire Upgrade
Tire/Wheel, ST235/80R16 G, Alum Mod 16" 865	7K Axle, Tire Upgrade (Not for use on 8k axles)

Description	Addl. Description
Tire/Wheel, LT215/75R17.5 H, Aluminum Mod 17.5" 865	8k Axles
Tire/Wheel, LT215/75R17.5 H, Black Mod 17.5" 865	8k Axles
Tire/Wheel, LT215/75R17.5 H, Silver Mod 17.5" 865	8k Axles
Tire/Wheel, LT215/75R17.5 H, Galvanized Solid 17.5" 865	8k Axles
Tire/Wheel, LT235/75R17.5 J, Silver Mod 17.5" 865	10-12k Axles
Tire/Wheel, LT235/75R17.5 J, Black Mod 17.5" 865	10-12k Axles
Tire/Wheel, ST235/85R16 E, Silver Mod 16" Dual 865	10-12K Axles
Tire/Wheel, ST235/85R16 E, Black Mod 16" Dual 865	10-12K Axles
Tire/Wheel, ST235/85R16 E, Aluminum Mod 16" Dual 865	10-12K Axles
Tire/Wheel, LT235/75R17.5 H, Aluminum Mod 17.5" 865	10-12k Axles
Tire/Wheel, LT235/75R17.5 J, Lynx Black Machined Aluminum 17.5" 865	10-12K Axles
Tire/Wheel, ST235/85R16 H, Black Mod 16" Dual 865	10-12K Axles
Tire/Wheel, LT215/75R17.5 J, Black Mod 17.5" Dual 865	10-12K Axles
Tire/Wheel, LT215/75R17.5 H, Black Mod 17.5" Dual 8275	16K Axles
Tire/Wheel, LT215/75R17.5 H, Aluminum Mod 17.5" Dual 8275	16K Axles
Tire/Wheel, LT215/75R17.5 H, Aluminum Alcoa 17.5" Dual 8275	16K Axles

QUALITY PARTS BETTER TRAILERS

POLYURETHANE PAINT

Our trailers are finished with a two coat polyurethane system. A rust inhibitive polyurethane primer is applied over phosphatized steel and top coated with electrostatically applied polyurethane enamel. Results: longer lasting protection against salt, corrosion, fading, and chalking.

DEXTER AXLES

An industry leader with a reputation for precision and reliable performance.




BETTER HYDRAULICS

Many Belmont dump and tilt beds feature "premier" custom-made U.S. welded cylinders and Bucher/Monarch 12 volt power units. Gates™ hoses and fittings are standard on all Belmont trailers.



SUPERIOR DESIGN

We believe there's always a better way to build. That mindset drives us to constantly refine our designs and improve our manufacturing process.




MODULAR ELECTRONICS

Custom-made wiring harnesses for improved connections and easier repairs.



STRONGER STEEL

Compare the weight to competing models and you will find Belmont trailers are built heavier and stronger than most other trailers in the market.



OUR VALUED SUPPLIERS



BELMONT PRODUCTS

Belmont produces trailers of all types: Utility, Landscape, Enclosed, Dump, Deckover, and Gooseneck. Visit the Belmont website to see the full line of products.



ABOUT BELMONT TRAILERS

Belmont Trailers is a family-owned business located in the heart of Lancaster County, Pennsylvania.

With over 20 years of experience building trailers, Belmont is dedicated to delivering quality solutions that set the benchmark for excellence in the trailer industry. Belmont's skilled and dedicated team works hard to build trailers that will hold up for years to come.

We also stand behind our trailers with one of the best warranties in the industry.



PARTNER WITH BELMONT

Choosing Belmont Trailers means more than just buying a trailer- it means having a team that's committed to your satisfaction long after the sale. With reliable customer support and a wide range of customizable options, we're here to make sure you get exactly what you need, when you need it. At Belmont, we treat our customers like family- and we're ready to provide a trailer that's Built To Take It, just like you.



Give us a call at 800-380-2404, or scan the QR to find out more





BELMONT
TRAILERS™

BUILT TO TAKE IT



Belmont Trailers

40 Hess Rd, Leola, PA 17540

800-380-2404

www.belmonttrailers.com